

# Package: RobustMetrics (via r-universe)

May 31, 2026

**Type** Package

**Title** Calculates Robust Performance Metrics for Imbalanced Classification Problems

**Version** 0.1.1

**Maintainer** Bernhard Klar <bernhard.klar@kit.edu>

**Description** Calculates robust Matthews Correlation Coefficient (MCC) and robust F-Beta Scores, as introduced by Holzmann and Klar (2024) <[doi:10.48550/arXiv.2404.07661](https://doi.org/10.48550/arXiv.2404.07661)>. These performance metrics are designed for imbalanced classification problems. Plots the receiver operating characteristic curve (ROC curve) together with the recall / 1-precision curve.

**License** GPL (>= 3)

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.3.2

**URL** <https://github.com/BernhardKlar/RobustMetrics>

**BugReports** <https://github.com/BernhardKlar/RobustMetrics/issues>

**Repository** <https://bernhardklar.r-universe.dev>

**Date/Publication** 2025-08-27 14:02:40 UTC

**RemoteUrl** <https://github.com/bernhardklar/robustmetrics>

**RemoteRef** HEAD

**RemoteSha** 2ff8ec3d910a7dda15338b942b4701ef44650300

## Contents

FScore . . . . .	2
MCC . . . . .	3
rf.data . . . . .	4
robFScore . . . . .	5
robFScore2 . . . . .	6
robMCC . . . . .	7
ROC_curve . . . . .	8

**Index****10**

FScore

*F-Beta Score***Description**

Compute the F-Beta Score.

**Usage**

```
FScore(  
  actual = NULL,  
  predicted = NULL,  
  TP = NULL,  
  FN = NULL,  
  FP = NULL,  
  TN = NULL,  
  beta = 1  
)
```

**Arguments**

actual	A vector of actual values (1/0 or TRUE/FALSE)
predicted	A vector of prediction values (1/0 or TRUE/FALSE)
TP	Count of true positives (correctly predicted 1/TRUE)
FN	Count of false negatives (predicted 0/FALSE, but actually 1/TRUE)
FP	Count of false positives (predicted 1/TRUE, but actually 0/FALSE)
TN	Count of true negatives (correctly predicted 0/FALSE)
beta	Beta squared is the weight of recall in harmonic mean

**Details**

Calculate the F-Beta Score. Provide either:

- actual and predicted or
- TP, FN, FP and TN.

**Value**

F-Beta Score.

**References**

Holzmann, H., Klar, B. (2024). Robust performance metrics for imbalanced classification problems. arXiv:2404.07661. [LINK](#)

**Examples**

```
actual <- c(1,1,1,1,1,1,0,0,0,0)
predicted <- c(1,1,1,1,0,0,1,0,0,0)
FScore(actual, predicted)
FScore(TP=4, FN=2, FP=1, TN=3)
```

---

**MCC***Matthews correlation coefficient*

---

**Description**

Compute Matthews correlation coefficient.

**Usage**

```
MCC(
  actual = NULL,
  predicted = NULL,
  TP = NULL,
  FN = NULL,
  FP = NULL,
  TN = NULL
)
```

**Arguments**

<code>actual</code>	A vector of actual values (1/0 or TRUE/FALSE)
<code>predicted</code>	A vector of prediction values (1/0 or TRUE/FALSE)
<code>TP</code>	Count of true positives (correctly predicted 1/TRUE)
<code>FN</code>	Count of false negatives (predicted 0/FALSE, but actually 1/TRUE)
<code>FP</code>	Count of false positives (predicted 1/TRUE, but actually 0/FALSE)
<code>TN</code>	Count of true negatives (correctly predicted 0/FALSE)

**Details**

Calculate Matthews correlation coefficient. Provide either:

- `actual` and `predicted` or
- `TP`, `FN`, `FP` and `TN`.

**Value**

Matthews correlation coefficient.

## References

Holzmann, H., Klar, B. (2024). Robust performance metrics for imbalanced classification problems. arXiv:2404.07661. [LINK](#)

## Examples

```
actual <- c(1,1,1,1,1,1,0,0,0,0)
predicted <- c(1,1,1,1,0,0,1,0,0,0)
MCC(actual, predicted)
MCC(TP=4, FN=2, FP=1, TN=3)
```

---

rf.data

*Example Random Forest Data*

---

## Description

This dataset contains example data from a Random Forest model.

## Usage

rf.data

## Format

A data frame with 2 columns:

**actual** Actual values

**predicted** Predicted probabilities

## Source

Full test data set using random forest classifier, see Section 6 in Reference.

## References

Holzmann, H., Klar, B. (2024). Robust performance metrics for imbalanced classification problems. arXiv:2404.07661. [LINK](#)

---

robFScore	<i>Robust F-Beta Score</i>
-----------	----------------------------

---

### Description

Compute a robust version of the F-Beta Score.

### Usage

```
robFScore(
  actual = NULL,
  predicted = NULL,
  TP = NULL,
  FN = NULL,
  FP = NULL,
  TN = NULL,
  beta = 1,
  d0 = 0.1
)
```

### Arguments

actual	A vector of actual values (1/0 or TRUE/FALSE)
predicted	A vector of prediction values (1/0 or TRUE/FALSE)
TP	Count of true positives (correctly predicted 1/TRUE)
FN	Count of false negatives (predicted 0/FALSE, but actually 1/TRUE)
FP	Count of false positives (predicted 1/TRUE, but actually 0/FALSE)
TN	Count of true negatives (correctly predicted 0/FALSE)
beta	Beta squared is the weight of recall in the harmonic mean
d0	Weight of the estimated true positive probability in the harmonic mean

### Details

Calculate the robust F-Beta Score  $F_{\beta, d_0}$  with two parameters. Provide either:

- actual and predicted or
- TP, FN, FP and TN.

If  $d_0 = 0$ , the robust F-Beta Score coincides with the F-Beta Score.

### Value

robust F-Beta Score.

## References

Holzmann, H., Klar, B. (2024). Robust performance metrics for imbalanced classification problems. arXiv:2404.07661. [LINK](#)

## Examples

```
actual <- c(1,1,1,1,1,1,0,0,0,0)
predicted <- c(1,1,1,1,0,0,1,0,0,0)
robFScore(actual, predicted, beta=1, d0=0.1)
robFScore(TP=4, FN=2, FP=1, TN=3, beta=1, d0=1)
```

---

robFScore2

*General robust F-Beta Score*

---

## Description

Compute a robust version of the F-Beta Score with two additional parameters.

## Usage

```
robFScore2(
  actual = NULL,
  predicted = NULL,
  TP = NULL,
  FN = NULL,
  FP = NULL,
  TN = NULL,
  d1 = 1,
  d0 = 0.1,
  c = 1
)
```

## Arguments

actual	A vector of actual values (1/0 or TRUE/FALSE)
predicted	A vector of prediction values (1/0 or TRUE/FALSE)
TP	Count of true positives (correctly predicted 1/TRUE)
FN	Count of false negatives (predicted 0/FALSE, but actually 1/TRUE)
FP	Count of false positives (predicted 1/TRUE, but actually 0/FALSE)
TN	Count of true negatives (correctly predicted 0/FALSE)
d1	Weight of recall in the harmonic mean (corresponds to beta squared)
d0	Weight of the estimated true positive probability in the harmonic mean
c	Additional parameter in numerator

**Details**

Calculate the robust F-Beta Score  $F_{rb}$  with two additional parameters. Provide either:

- actual and predicted or
- TP, FN, FP and TN.

If  $d_1 = \beta^2$ ,  $d_0 = c = 0$ , the robust F-Beta Score coincides with the F-Beta Score.

**Value**

robust F-Beta Score with two additional parameters.

**References**

Holzmann, H., Klar, B. (2024). Robust performance metrics for imbalanced classification problems. arXiv:2404.07661. [LINK](#)

**Examples**

```
actual <- c(1,1,1,1,1,1,0,0,0,0)
predicted <- c(1,1,1,1,0,0,1,0,0,0)
robFScore2(actual, predicted, d0 = 0.1, c = 0.1)
robFScore2(TP=4, FN=2, FP=1, TN=3, d0 = 0.1, c = 1)
```

---

robMCC

*Robust Matthews correlation coefficient*

---

**Description**

Compute a robust version of Matthews correlation coefficient (MCC).

**Usage**

```
robMCC(
  actual = NULL,
  predicted = NULL,
  TP = NULL,
  FN = NULL,
  FP = NULL,
  TN = NULL,
  d = 0.1
)
```

**Arguments**

actual	A vector of actual values (1/0 or TRUE/FALSE)
predicted	A vector of prediction values (1/0 or TRUE/FALSE)
TP	Count of true positives (correctly predicted 1/TRUE)
FN	Count of false negatives (predicted 0/FALSE, but actually 1/TRUE)
FP	Count of false positives (predicted 1/TRUE, but actually 0/FALSE)
TN	Count of true negatives (correctly predicted 0/FALSE)
d	Parameter of the robust MCC

**Details**

Calculate the robust MCC. Provide either:

- actual and predicted or
- TP, FN, FP and TN.

If  $d = 0$ , the robust MCC coincides with the MCC.

**Value**

robust MCC.

**References**

Holzmann, H., Klar, B. (2024). Robust performance metrics for imbalanced classification problems. arXiv:2404.07661. [LINK](#)

**Examples**

```
actual <- c(1,1,1,1,1,1,0,0,0,0)
predicted <- c(1,1,1,1,0,0,1,0,0,0)
robMCC(actual, predicted, d=0.05)
robMCC(TP=4, FN=2, FP=1, TN=3, d=0.05)
```

---

ROC\_curve

*ROC curve*

---

**Description**

Plot ROC curve together with recall / 1-precision curve.

**Usage**

```
ROC_curve(actual, predicted, d = c(0.01, 0.05, 0.1, 0.5))
```

**Arguments**

actual	A vector of actual values (1/0 or TRUE/FALSE)
predicted	A vector of predicted probabilities (numeric values in [0, 1])
d	A vector of length 4

**Details**

Instead of a precision-recall curve, a recall / 1-precision curve is plotted in the same coordinate system as the ROC curve.

Grey circles show the corresponding MCC optimal points; black symbols show points optimal with respect to the robust MCC for different values of d.

**Value**

ROC curve.

**References**

Holzmann, H., Klar, B. (2024). Robust performance metrics for imbalanced classification problems. arXiv:2404.07661. [LINK](#)

**Examples**

```
actual <- rf.data[, 1]
predicted <- rf.data[, 2]
ROC_curve(actual, predicted, d=c(0.01,0.02,0.1,0.5))
```

# Index

## \* datasets

rf.data, [4](#)

FScore, [2](#)

MCC, [3](#)

rf.data, [4](#)

robFScore, [5](#)

robFScore2, [6](#)

robMCC, [7](#)

ROC\_curve, [8](#)